


LISTING OF CLAIMS

This listing of claims will replace all prior versions of claims in the application.


Claims 1-16 (Cancelled)

Claim 17 (Currently amended) A compound having the structure:




wherein:

- (a) A^1 and A^2 are each, independently, selected from the group consisting of a hydrogen atom and a group having the structure:



with the proviso that at A^1 and A^2 are not both hydrogen atoms, and wherein:


- (i) each R^1 is independently selected from the group consisting of a hydrogen atom and a hydroxyl group;
 (ii) x is 0 or 1;
 (iii) each R^2 is independently selected from the group consisting of:



wherein:

- (a) a is ~~at least 2 to 10~~ at least 2 to 10;

- (b) b is at least 2 to 10;
- (c) c is 1 to 3;
- (d) d is 1 to 3; and
- (e) R^{12} and R^{13} are each independently selected from the group consisting of hydrocarbon groups and substituted hydrocarbon groups; and
- (iv) D^1 is $-C(O)-$; and,
- (v) D^2 is $-NH-$; and
- (b) A^3 has the structure:



wherein:

- (i) each R^1 is independently selected from the group consisting of a hydrogen atom and a hydroxyl group;
- (ii) t is from 0 to 6;
- (iii) D^4 is $-CH(R^1)-$;
- (iv) D^5 is $-OR^6$; and
- (v) R^6 is selected from the group consisting of a carbocyclic group, a substituted carbocyclic group, an aromatic group, and a substituted aromatic group.

Claim 18 (Previously presented) The compound according to Claim 17 wherein x is 1.

Claim 19 (Previously presented) The compound according to Claim 17 wherein x is 0.

Claims 20-22 (Cancelled)

Claim 23 (Previously presented) The compound according to Claim 17 wherein t is 0 to 2.

Claim 24 (Previously presented) The compound according to Claim 17 wherein R^6 is a substituted aromatic group.

Claim 25 (Previously presented) A composition comprising:

- (a) the compound according to Claim 17; and
- (b) a pharmaceutically acceptable carrier.

Claim 26 (Previously presented) A method selected from the group consisting of treating multidrug resistance, inhibiting transport protein activity, and combinations thereof, comprising administering to a mammal in need of such treatment or inhibition an effective amount of the composition according to Claim 25.

Claim 27 (Previously presented) A method of inhibiting transport protein activity comprising contacting a cell with an effective amount of the composition according to Claim 25.